

FIG. 1



addr	id	key
0	0	8
1	1	12
2	2	5
3	3	7
4	4	10
5	5	1
6	6	11
7	7	6
8	0	8
9	2	5
10	5	1
11	7	6
12	2	5
13	5	1
14	5	1

200

FIG. 2





FIG. 3





5/22





FIG. 5



6/22






7/22

FIG. 8A
FIG. 8B
FIG. 8C

FIG. 8





8/22




FIG. 8A





FIG. 8B



10/22





FIG. 8C



Appl'n No.: 09/588,619
Title: APPARATUS AND METHOD FOR PACKING
Inventors: William J. Dally, *et al.*
Replacement Sheet

11/22

		Cycle				
		1	2	3	4	5
Register	Addr 1	5	7	2		
	Comp 1	5.9	7.d	2.15		
	Sib 1	4.10	6.11	3.7		
	Addr 2		10	11	9	
	Comp 2		5.9	6.11	3.7	
	Sib 2		7.6	5.9	0.8	
	Addr 3			13	13	12
	Comp 3			7.6	5.9	3.7
	Sib 3			2.5	2.5	5.9
	Result			2.5	2.5	3.7

FIG. 9



12/22




FIG. 10



13/22




FIG. 11

14/22




FIG. 12



15/22




FIG. 13




FIG. 14



17/22




FIG. 16




FIG. 15



18/22




FIG. 17



19/22




FIG. 18



21/22




FIG. 20A



22/22

